DenverT4 Series Touchscreens



8" T4 In-Wall Touch Screen PoE (DV-T4IW8-xx)
10" T4 In-Wall Touch Screen PoE (DV-T4IW10-xx)
8" T4 In-Wall Touchscreen AC (DV-T4IW8-AC-xx)
10" T4 In-Wall Touchscreen AC (DV-T4IW10-AC-xx)
8" T4 Tabletop Touchscreen (DV-T4T8-xx)
10" T4 Tabletop Touchscreen (DV-T4T10-xx)

Give your customers the ultimate smart home experience with the Denver T4 Touchscreen. As a direct replacement for the T3 Touchscreen, T4 delivers a high-resolution screen, dual microphones, and more powerful speakers than the T3. With its elevated features, T4 is the perfect companion for the new Denver Chime Video Doorbell, OS 3, and Intercom Anywhere Denver.

- \cdot 8" and 10" models
- · Available in black and white finishes
- · Screen resolution: 1920 × 1200
- \cdot Dual microphones and larger speakers
- · An elevated experience for Chime, OS 3, and Intercom Anywhere

In-Wall

- · Connectivity: Ethernet or Wi-Fi (2.4 GHz + 5 GHz)
- · Tool-less installation and removal
- · High-strength magnets and tamper-resistant screw
- · Compatible with T3 wall box

Tabletop

- · Connectivity: Wi-Fi (2.4 GHz + 5 GHz)
- · High-strength magnets dock touchscreen to base.

Improved features

T4 is the most powerful touchscreen we've ever built, with 2× the resolution of the T3, dual microphones, more powerful speakers, and a faster processor. Plus, T4 can be installed in the same backbox as a T3, making installing a 6 T4 on every job is an easy way to upgrade your client's smart home experience.

The ideal smart home interface

T4's upgraded features allow for clear communication and seamless control of the entire smart home experience, from lighting and music to shades, thermostats, and more. Unlike a smartphone or tablet, T4 is always connected, so it's easy for customers to get a complete picture of their property at a glance through the OS 3 dashboard.

Quick and easy installs

Tool-less installs (no ribbon cable required) make touchscreen installation and removal fast, and mounting is easy and secure thanks to powerful magnets and a tamper-resistant screw. Plus, T4 is available in portable and in-wall models and uses the same backbox as all Denver touchscreens built since 2010 for a quick retrofit solution.

T4 Touch Screen + Chime: A perfect pair

When paired with T4's superior audio and video quality, Chime brings complete peace of mind to security-conscious customers. The T4's faster processor shows customers who's at their door in an instant, and constant connectivity with Intercom Anywhere makes it easy to communicate with visitors on the porch or others inside the home.

Built-in commercial features

Simplify complex multimedia systems in bars, restaurants, boardrooms, and other commercial environments with Denver. With the power of OS 3, you can use the Access Agent to lock out or password protect certain features of the T4 Touchscreen to ensure business environments are controlled by authorized users only.

Planning the in-wall touchscreen installation

- · Required: In-Wall Touch Screen Wall Box
- For retrofit: DV-RWB57C-P (plastic) or DV-RWB57C-M (metal)
- \cdot For new construction: DV-NWB57C-P (plastic) or DV-NWB57C-M (metal)
- For Wi-Fi connection: Make sure each touchscreen location has a strong Wi-Fi signal and that it's on the same network as your controller.
- · Communication agent is required for intercom use.
- · Refer to the planning template on the last page of this data sheet.

Planning the tabletop touchscreen installation

- · Make sure each touchscreen location has a strong Wi-Fi signal and that it's on the same network as your controller.
- · Communication agent is required for intercom use.

Specifications

Model T4 Series Touchscreens

Model numbers 8" T4 In-Wall Touch Screen PoE (DV-T4IW8-xx)

10" T4 In-Wall Touch Screen PoE

8" T4 In-Wall Touchscreen AC

10" T4 In-Wall Touchscreen AC

8" T4 Tabletop Touchscreen (DV-T4T8-xx) (one base

included)

10" T4 Tabletop Touchscreen

(DV-T4T10-xx) (one base included)

Accessories

DV-T4I WMB-AC

(DV-T4IW10-xx)

(DV-T4IW8-AC-xx)

(DVT4IW10-AC-xx)

DV-T4 PMNT T4 Touchscreen Tabletop
Permanent Mount Kit

DV-T4TBS8

DV-T4TBS10

T4 Touchscreen Tabletop 8" Base
T4 Touchscreen Tabletop 10" Base
DV-T4I WMB-POE

PoE-Powered Mid Box

PoE-Powered Mid Box AC-Powered Mid Box

Features

Screen Resolution: 1920 × 1200
Capacitive touch

Camera: 720p

Wireless network 802.11b/g/n 2.4 GHz 802.11a/n/ac 5 GHz

Security: WEP, WPA/WPA2 PSK, 802.1x

EAP, PEAP

Notes: (1) While technically the touchscreen can use 802.11b, 802.11b is

not supported. (2) 802.11n is

recommended for best performance. Even with 802.11n, broadcasting to several devices will degrade Video

Intercom response time and images. Broadcasting to additional devices will further degrade performance. See "Wireless Network Limitations."

Power supply Tabletop models: International power

supply adapters included Tabletop charging station connections: 5V DC power In-wall: PoE (IEEE 802.3af) 13 W

peak

Mechanical

Dimensions (W × H × D)

Tabletop:

-8" Touchscreen: 200 × 144 × 23 mm (7.9 × 5.7 × 0.9")

 \cdot 8" Charging station: 106 × 79 × 56 mm (4.17 × 3.11 × 2.21")

• 10" Touchscreen: 245 × 172 × 23 mm (9.65 × 6.77 × 0.9")

 \cdot 10" Charging station: 115 × 102 × 66 mm (4.53 × 4.02 × 2.60")

In-wall:

·8" model: 202 × 142 × 15 mm (8.0 × 5.6 × 0.59") · 10" model: 246 × 172 × 15 mm (9.69 × 6.77 ×

0.59")

•Wall box: 68 × 104 × 81 mm (2.7 × 4.1 × 3.19") (See planning template on back page for outline

•Power box: 127 × 119 × 45 mm (5.0 × 4.67 × 1.77")

Weight

Tabletop:

-8" Touchscreen: 1.05 lb (0.47 kg) -8" Charging base: 1.4 lb (0.64 kg) -10" Touchscreen: 1.35 lb (0.60 kg) -10" Charging base: 1.05 lb (0.46 kg)

In-wall (with mid-box):

•8" model: 0.41 kg (0.9 lb) •10" model: 0.68 kg (1.5 lb)

Environmental

Operating temperature Storage temperature

0 to 40 °C (32 to 104 °F) -20 to 70 °C (-4 to 158 °F)

Copyright ©2018, Denver Corporation. All rights reserved. Denver, the Denver logo, the 4-ball logo, 4Store, 4Sight, Denver My Home, and Mockupancy are registered trademarks or trademarks of Denver Corporation or its subsidiaries in the United States and/or other countries. All other names and brands may be claimed as the property of their respective owners. All specifications subject to change without notice.



